

October 07, 2016

Attention: Scott MacIntyre
DOVER CANADA ULC
6939 68 AVENUE NW
EDMONTON, AB T6B 3E3

Email: Scott.MacIntyre@doverals.com

The design submission, tracking number 2016-04289, originally received on August 08, 2016 was surveyed and accepted for registration as follows:

CRN : 0C00963.2

Accepted on: October 07, 2016

Reg Type: Addition to Acc. Fitting

Expiry Date: October 07, 2026

Drawing No. : CATALOGUES As Noted

Fitting type: VALVES

Description

MAWP

Design Temperature

The registration is conditional on your compliance with the following notes:

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction are B16.34 and ther engineering nalysis.

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.

This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.

Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

This is CRN renewal.


From all products presented in the catalogues CRN covers only valves that are in full compliance with ASME B16.4, B16.24, B16.34 & B16.42

See Scope of registration attachment to the Statutory Declaration for the rating, materials and sizes.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,



GRYNCHUK, MILLA

ABSA
the pressure equipment safety authority
STATUTORY DECLARATION
Registration of Fittings



I, Scott MacIntyre,

Quality Manager

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of Dover Canada ULC (formerly Dover Corporation (Canada) Ltd., Alberta Oil Tool Division)

(name of manufacturer)

located at 6939 - 68 Avenue NW, Edmonton, Alberta, Canada T6B 3E3

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

☒ comply with the requirements of ASME B16.34, B16.24, B16.42, B16.4 which specifies the dimensions,
(title of recognized North American Standard)

☐ materials of construction, pressure/temperature ratings and identification marking of the fittings, or
are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, American Petroleum Institute as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Line Valves

In support of this application, the following information, calculations and/or test data are attached:

Product overview, Product Brochures, Product Drawings,

DECLARED before me at Edmonton in the Province of Alberta

this 6th day of October, 2016
(Month) (Year)

(print) Eugene J. Eklor

(sign) Eugene J. Eklor
(A Commissioner for Oaths)

[Signature]
(Signature of Applicant)

For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category C

Registration Number: 0C00963.2

Date Registered: OCT 07 2016

Crynchek
(For the Administrator/Chief Inspector of Alberta)

Expiry Date: 2026 Oct. 07

Category C 0C0963.2 Product Listing

Product	Sizes	Pressure-Temperature Ratings	Material Types	Standard
Butterfly Valves – Series M200, M285 Catalogue No.: 0BFV-0113T-AOT	NPS 2 thru 36, Wafer Span and Wafer Lug	Class 150	A395 Gr.60-40-18	B16.42
			A216 Gr. WCB	B16.34
			A351 CF8M	
			A351 CN7M	
Butterfly Valves – R200 and R285 Catalogue No.: 0BFV-0113T-AOT	NPS 2 thru 36, Wafer Span and Wafer Lug	Class 150	B61	B16.24
			A395 Gr.60-40-18	B16.42
			A216 Gr. WCB	B16.34
			A351 CF8M	
Butterfly Valves – Body Style Catalogue No.: 0BSV-0113T-AOT	NPS 2, 3 and 4 Threaded (NPT)	Class 125	A351 CN7M	
			B61	B16.24
			A126 Class B	B16.4
Control Valves – Series 2023 Catalogue No.: 2023A-1015T	Inlet: NPS 1 Threaded (NPT) Outlet: NPS ½ or ¾ Threaded (NPT)	Class 900	A696 Gr. C	B16.34
Control Valves – Series 2026 Catalogue No.: 2026-1214T	Vessel Connection: NPS 2 Threaded (NPT) Inlet/Outlet: NPS 1 Threaded (NPT)	Class 900	A696 Gr. C	B16.34
Control Valves – Series 2027A Catalogue No.: 2026-1214T	Vessel Connection: NPS 2 Threaded (NPT) Outlet: NPS 1 Threaded (NPT)	Class 900	A696 Gr. C	B16.34
Control Valves – Series 2200/2220 Catalogue No.: 2200-0915T	NPS 1 Threaded (NPT)	Class 1500 (3600psi @ 100°F) Class 2500 (6000psi @ 100°F)	Body A216 Gr. WCC A351 Gr. CF3M A351 Gr. CF8M A352 Gr. LCC Bonnet A105 A350 Gr. LF2 A276 Type 316/316L ¹	B16.34
	NPS 2 Threaded (NPT)	Class 1500 (3600psi @ 100°F) Class 2500 (6000psi @ 100°F)		
	NPS 1 and 2 Flanged	Class 150 thru 2500		
	Beveled	Class 1500 and 2500		

0C00963.2

Category C 0C0963.2 Product Listing

Product	Sizes	Pressure-Temperature Ratings	Material Types	Standard
Control Valves – Series 2275 Catalogue No.: 2275-0113T-AOT	NPS 1 Threaded (NPT)	Max. Working Pressure: 4000psi @ 100°F	Body A350 Gr. LF2 Bonnet A696 Gr. C	B16.34
Control Valves – Series 2700A, 2700E and 2720 Catalogue No.: 2700-0215T	NPS 1, 1½ and 2 Threaded (NPT)	Class 1500 and 2500	A216 Gr. WCB A216 Gr. WCC A217 Gr. WCS A217 Gr. WC6 A217 Gr. WC9 A351 Gr. CF8 A351 Gr. CF8M A351 Gr. CN7M A351 Gr. CF3 (304L SST) A351 Gr. CF3M (316L SST) A352 Gr. LCC	B16.34
	NPS 1, 1½ and 2 S/W	Class 1500 and 2500	A494 Gr. N12MV (HAST B) A494 Gr. CW 12MW (HAST C276) A494 Gr. M35 (MONEL 400)	
	NPS 1 thru 8 Beveled	Class 1500 and 2500		
	NPS 1 thru 12 Flanged (RF and RTJ)	Class 150 thru 2500		
Control Valves – Series 3023 Catalogue No.: 3023-1015T	NPS 1, 2 and 3 Threaded (NPT)	Class 1500	A216 Gr. WCB	B16.34
	NPS 1, 2 and 3 S/W	Class 1500	A216 Gr. WCC	
	NPS 1, 2 and 3 Beveled	Class 1500	A351 Gr. CF8M	
	NPS 1, 2 and 3 Flanged (RF and RTJ)	Class 150 thru 1500		
Piston Check Valve – Series 7100 Catalogue No.: 7100-0615T	NPS 1, 1½ and 2 Threaded (NPT)	Class 1500 and 2500	A216 Gr. WCC	B16.34
	NPS 1 thru 4 S/W	Class 1500 and 2500	A217 Gr. WC9	
	NPS 1 thru 12 Beveled	Class 1500 and 2500	A351 Gr. CF3M	
	NPS 1 thru 12 Flanged (RF and RTJ)	Class 1500 and 2500	A351 Gr. CF8M	
		Class 150 thru 2500	A352 Gr. LCC	

SAFETY CODES ACT - PROVINCE OF ALBERTA

REGISTRATION OF FITTINGS

REGISTRATION NO. **0C00963.2**

DWG. NO. or CAT. NO. *See scope*

DATE OF FITTINGS *values*

OCT 07 2018

INITIALS *[Signature]*

NAME *MILLA GR. ENGINEER, P.E.*

DESIGN SURVEY ENGINEER

Date