



345 Carlingview Drive
Toronto, Ontario
CANADA M9W 6N9
Tel.: 416.734.3300
Fax.: 416.231.1626
Toll Free: 1.877.682.8772
www.tssa.org

May 10, 2019

JIN YONG CHO
FELIX TECHNOLOGY CO LTD
85 MIEUMSANDAN 3-RO GANGSEO-GU
BUSAN BUSAN 618220 KOREA
KR

Service Request Type.: BPV-National AB
Service Request No.: 2532262
Your Reference No.:
Registered to.: FELIX TECHNOLOGY CO LTD

Dear JIN YONG CHO,

Please find enclosed the original response from AB, registered under the CRN No.: 0B12537.52.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering
Tel. : 416-734-3423
Fax : 416-231-6183
Email : tfrancis@tssa.org

April 03, 2019

Attention: Joanna Karpinski
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO, ON M9W 6N9

Email: JKarpinski@tssa.org

The design submission, tracking number 2019-01942, originally received on March 15, 2019 was surveyed and accepted for registration as follows:

CRN : 0B12537.52

Accepted on: April 03, 2019

Reg Type: ADDITION TO ACC. FITTING

Expiry Date: September 28, 2028

Drawing No. : REGISTRATION SCOPE LIST

Fitting type: FLANGES

Design registered in the name of : FELIX TECHNOLOGY CO LTD

The registration is conditional on your compliance with the following notes:

- The application of flanges per AWWA C207 is for carrying non-expansible fluid; and they are exempted from Alberta Safety Code Act and Pressure Equipment Safety Regulation. Therefore, these flanges are exempted from this registration.
- The flanges shall be in full compliance with ASME B16.5, B16.36, B16-47A/B, and B16.48, with respect to dimensions, pressure and temperature ratings, materials, markings, inspections etc...

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction are B16.5, B16.36 and B16.47.

- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3382 or fax (780) 437-7787 or e-mail Stojanovic@absa.ca.

Sincerely,



STOJANOVIC, STEVAN, P. Eng.
DOP Cert. No. D00008849

**STATUTORY DECLARATION
Registration of Fittings**

I, Jong Oh, Kim, President
(name of applicant) (position title) (must be in a position of authority)
of Felix Technology Co., Ltd.
(name of manufacturer)

located at 85, Mieumsandan 3-ro, Gangseo-gu, Busan, Korea
(plant address)

In this space, show facsimile of
manufacturer's logo or trademark
as it will appear on the fitting.



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act
(check one)

- ☒ comply with the requirements of ANSI/ASME, API, AWWA which specifies the dimensions,
(title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- ☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured
to comply with _____ as supported by the attached
(title of code of construction or other applicable document)
data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis
for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been
verified by the following authority, DNV.GL Quality Evaluations as being suitable for the manufacture of these
fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

Category "B" / Flanges

(brief description of fittings)

In support of this application, the following information, calculations and/or test data are attached:

Catalogue, QA Manual, Company Profile, QMS certificate

DECLARED before me at Gimhae in the Gyeongbuk Province of Korea
(city) (province or state)

this 21 day of 1, 2019
(Month) (Year)

(print) KIM WON TAE
(a Commissioner of Oaths or Notary Public)

(sign) KIM WON TAE
(a Commissioner of Oaths or Notary Public)

J. O. Kim
(signature of applicant)

For ABSA Office Use Only:

NOTES: _____

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA
Standard B51, Clause 4.2, and is accepted for registration in Category B

Registration Number: 0B12537.52

STEVAN STOJANOVIC
(Signature of the Administrator/SCO)

Date Registered: APR 03 2019

Expiry Date: Sep. 29, 2028

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the
Pressure Equipment Discipline.

등부 2019 년 제 78 호

Registered No. 2019 - 78

인 증

Notarial Certificate

피팅류 등록에 대한 법정선언서 에
기재된 주식회사 펠릭스테크 대표이사
김종오의 대리인 조진용은

Jin yong, Cho
attorney-in-fact of
Jong Oh, Kim/President of
Felix Technology Co., Ltd.
appeared before me and admitted
principal's subscription to the attached

본 공증인의 면전에서 위 본인이
서명 날인한 것임을 자인하였다.

STATUTORY DECLARATION
Registration of Fittings

2019 년 1 월 21 일
이 사무소에서 위 인증한다.

This is hereby attested on this 21st
day of JANUARY, 2019 at this office

공증인가 법무법인 금강
창원지방법검찰청 소속
김해시 우암로 175 법조타운 201-1호

KUM-GANG LAW&NOTARY OFFICE
Belong to Changwon
District Prosecutors' Office
175, Uam-ro, Gimhae-city,
Gyeongsangnam-do,
the REPUBLIC OF KOREA

공증인

가원태



KIM WON TAE

KIM WON TAE

This office has been authorized by the
Minister of Justice, the Republic of
Korea, to act as Notary Public since
2001. 2. 16. under Law No. 2103



[별지 제20호 서식]

법무법인 금 강

F. (055) 335-5307

T. (055) 335-5324, 5342

Registered No. 2019 - 78

NOTARIAL CERTIFICATE

0B12537.52

KUM-GANG LAW & NOTARY OFFICE

175, Uam-ro, Gimhae-city,

Gyeongsangnam-do, the Republic of Korea



FELIX TECH**REGISTRATION SCOPE LIST**

NO.	CODE	CLASS	TYPE	SIZE	FACE TYPE	SCHEDULE	CATALOGUE PAGE	REMARK
1	B16.5	#150 #300 #400 #600 #900 #1500 #2500	SLIP ON WELDING NECK SOCKET WELDING THREADED LAPPED JOINT BLIND LONG WELDING NECK	1/2"	RAISED FACE RING JOINT FACE FLAT FACE LAPPED JOINT LARGE MALE-FEMALE SMALL MALE AND FEMALE LARGE TONGUE AND GROOVE SMALL TONGUE AND GROOVE	B36.10 B36.19	PAGE 11-38	REDUCING FLANGES NO SIZES #2500 OVER 12"
2				3/4"				
3				1"				
4				1 1/4"				
5				1 1/2"				
6				2"				
7				2 1/2"				
8				3"				
9				3 1/2"				
10				4"				
11				5"				
12				6"				
13				8"				
14				10"				
15				12"				
16				14"				
17				16"				
18				18"				
19				20"				
20				24"				
21				1"				
22	B16.36	#300 #600 #900 #1500 #2500	ORIFICE WELDING NECK ORIFICE THREADED ORIFICE SLIP ON	1 1/2"	RAISED FACE RING JOINT FACINGS FLAT FACE LAPPED JOINT LARGE MALE-FEMALE SMALL MALE AND FEMALE LARGE TONGUE AND GROOVE SMALL TONGUE AND GROOVE	B36.10 B36.19	PAGE 39-52	CORNER TAPS ANGULAR METER TAP JACK BOLTS WIG. SCREWS DESIGN SURVEY ENGINEER
23				2"				
24				2 1/2"				
25				3"				
26				4"				
27				6"				
28				8"				
29				10"				
30				12"				
31				14"				
32				16"				
33				18"				
34				20"				
35				24"				
36				26"				
37				28"				
38				30"				
39				32"				
40				34"				
41				36"				
42				38"				
43				40"				
44				42"				
45				44"				
46				46"				
47				48"				
48				50"				
49				52"				
50				54"				
51				56"				
52				58"				
53				60"				
54	B16.47 SERIES.A	#150 #300 #400 #600 #900	WELDING NECK BLIND	26"	RAISED FACE RING JOINT FACINGS	B36.10 B36.19	PAGE 62-76	
55				28"				
56				30"				
57				32"				
58				34"				
59				36"				
60				38"				
61				40"				
62				42"				
63				44"				
64				46"				
65				48"				
66				50"				
67				52"				
68				54"				
69				56"				
70				58"				
71				60"				
72	B16.47 SERIES.B	#75 #150 #300 #400 #600 #900	WELDING NECK BLIND	26"	RAISED FACE RING JOINT FACINGS	B36.10 B36.19	PAGE 69-76	OVER #400 CLASS, SIZES BELOW 38"
73				28"				
74				30"				
75				32"				
76				34"				
77				36"				
78				38"				
79				40"				

ABSA
SAFETY CODES ACT - PROVINCE OF ALBERTA
REGISTRATION OF FITTINGS
 REGISTRATION NO. **0B12537.52**

DWG. NO. or CAT. NO. *Registration Scope List*

TYPE OF FITTINGS *Flanges*

APR 03 2019
 INITIALS *SS*
STEVEN STOJANOVIC
DESIGN SURVEY ENGINEER

THIS IS PART OF
CRN 0B12537.52R3
Technical Standards & Safety Authority
Boilers & Pressure Vessels
Safety Program

Slip-on and limited threaded to #300.

FELIX TECH**REGISTRATION SCOPE LIST**


NO.	CODE	CLASS	TYPE	SIZE	FACE TYPE	SCHEDULE	CATALOGUE PAGE	REMARK
67				48"				
68				50"				
69				52"				
70				54"				
71				56"				
72				58"				
73				60"				
74	B16.48	#150 #300 #400 #600 #900 #1500 #2500	FIGURE-8 BLANKS PADDLE SPACER PADDLE BLANK	1"	FLAT FACE RAISED FACE RING JOINT FACINGS		PAGE 77-82	
75				1 1/4"				
76				1 1/2"				
77				2"				
78				2 1/2"				
79				3"				
80				3 1/2"				
81				4"				
82				5"				
83				6"				
84				8"				
85				10"				
86				12"				
87				14"				
88				16"				
89				18"				
90				20"				
91				24"				
92	AWWA C207	CLASS B(175 psi) CLASS D(150 psi) CLASS D(175-150psi) CLASS E(275 psi) CLASS E(275 psi) CLASS F(300 psi)	STEEL RING FLANGES STEEL HUB FLANGES BLIND FLANGES	4	FLAT FACE		PAGE 83-90	BLIND FLANGES BELOW 78"
93				5				
94				6				
95				8				
96				10				
97				12				
98				14				
99				16				
100				18				
101				20				
102				22				
103				24				
104				26				
105				28				
106				30				
107				32				
108				34				
109				36				
110				38				
111				40				
112				42				
113				44				
114				46				
115				48				
116				50				
117				52				
118				54				
119				60				
120				66				
121				72				
122				78				
123				84				
124				90				
125				96				
126				102				
127				108				
128				114				
129				120				
130				126				
131				132				
132				144				

OB 12537.52


THIS IS PART OF
CRN 0812537.528
Technical Standards & Safety Authority
Boilers & Pressure Vessels
Safety Program



Manufacturer of Flanges and Forgings



0B12537.52



FELIX TECHNOLOGY CO., LTD.
FELIX METAL TECH CO., LTD.

CONTENTS

BRIEF HISTORY	2
CONTENTS	3
MANUFACTURING PROCESS	4
CERTIFICATES	5
PRODUCTS	6
LABORATORY EQUIPMENT	7
FLANGES	8
STANDARD MARKING	10

ASME B16.5 FLANGES

Class 150 Flanges	12
Class 300 Flanges	14
Class 400 Flanges	16
Class 600 Flanges	18
Class 900 Flanges	20
Class 1500 Flanges	22
Class 2500 Flanges	24
Ring Joint Facings	26
Reducing Flanges	30

LONG WELDING NECK FLANGES

Class 150 Flanges	32
Class 300 Flanges	33
Class 400 Flanges	34
Class 600 Flanges	35
Class 900 Flanges	36
Class 1500 Flanges	37
Class 2500 Flanges	38

ASME B16.36 ORIFICE FLANGES

Orifice Flange	40
Class 300 Orifice Flanges	42
Class 600 Orifice Flanges	44
Class 900 Orifice Flanges	46
Class 1500 Orifice Flanges	48
Class 2500 Orifice Flanges	50

ASME STANDARD

Flange Facings	53
Tolerance	55
Welding Ends	56
Pipe Schedule	57
Material	58
Threads	60

ASME B16.47 SER.A LARGE DIAMETER FLANGES

Class 150 Flanges	63
Class 300 Flanges	64
Class 400 Flanges	65
Class 600 Flanges	66
Class 900 Flanges	67
Ring Joint Facings	68



ASME B16.47 SER.B LARGE DIAMETER FLANGES

Class 75 Flanges	69
Class 150 Flanges	70
Class 300 Flanges	71
Class 400 Flanges	72
Class 600 Flanges	73
Class 900 Flanges	74
Welding Ends & Tolerance	75
Weight	76

ASME B16.48 SPECTACLE (FIGURE 8)

Spectacle (Figure 8)	78
Tolerance & Weight	82

AWWA C207 FLANGES

General Specifications	84
Table 2	85
Table 3	86
Table 4	87
Table 5	88
Table 6	89
Table 7	90

JIS B 2220 FLANGES

5K	92
10K	94
16K	96
20K	98
30K	100
40K	102
63K	103
Dimensional Tolerance	104