



## STATUTORY DECLARATION Registration of Fittings

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



B51, Clause 4.2, and is accepted for registration in Category	I, _	Eric Sauze	
Dalian Jag Flocomponents Co LTD		President	
located at   Jingang Group-9 No-49, DEPZ Dalian City Liaoning Province 116620 P.R China (plant address)   do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)   Solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)   Solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)   Solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)   Solemnly with the requirements of ASME B16.34 which specifies the dimensions, (ities of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.  I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, TUV (ISO 9001: 2008) as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Valves*C**  In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at Amonton in the Province (West) Amounton (Mondil) (Vest) Amounton (Mondil) (M	(comp	pany title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)	
located at Jingang Group-9 No-49, DEPZ Dalian City Liaoning Province 116620 P.R China  (plant address)  do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)  Comply with the requirements of ASME B16.34 which specifies the dimensions, (idle of recognized North American Standard)  materials of construction, pressure/temperature ratings and identification marking of the fittings, or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.  I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, TUV (ISO 9001 : 2008) as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Valves"C"  In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at Amonton in the Province Amonton Amountain	of	Dalian Jag Flocomponents Co LTD	
(plant address)  (do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)    Comply with the requirements of ASME B16.34   which specifies the dimensions, (title of recognized North American Standard)   materials of construction, pressure/temperature ratings and identification marking of the fittings, or   are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with   as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.  I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority,   TUV (ISO 9001 : 2008)   as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are   Valves*C"    In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at   Avondon   Apama   A		(name of manufacturer)	
do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)    Comply with the requirements of ASME B16.34   which specifies the dimensions, (title of recognized North American Standard)   which specifies the dimensions, or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with   as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.  If further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority,   TUV (ISO 9001 : 2008)   as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are   Valves*C*    In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at   ADAM L. OLLENBERGER   Chamber   Ch	locate		
comply with the requirements of ASME B16.34 which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.  I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, TUV (ISO 9001 : 2008) as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Valves*C**  In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at Amonton in the Province of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category	4	" · · · · · · · · · · · · · · · · · · ·	
(title of recognized North American Standard)  materials of construction, pressure/temperature ratings and identification marking of the fittings, or  are not covered by the provisions of a recognized North American standard and are therefore manufactured to  comply with	(chec	k one)	
materials of construction, pressure/temperature ratings and identification marking of the fittings, or  are not covered by the provisions of a recognized North American standard and are therefore manufactured to  comply with	$\boxtimes$		
are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with			
as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.  I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, TUV (ISO 9001 : 2008) as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Valves"C"  In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500,T3 SW 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at Foreoffer in the Province of Alberta (year)  (print) Adam L. Ollenberger  ADAM L. OLLENBERGER  Student-al-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category			
materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.  I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, TUV (ISO 9001: 2008) as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Valves"C"  In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at Amonton in the Province of Alberta (Month)  (print) Adam L. Oilenberger  (sign) ADAM L. OLLENBERGER  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category			
for identification.  I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, TUV (ISO 9001: 2008) as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Valves*C"  In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at Amonfor in the Province of Alberta (Month)  (print) Adam L. Ollenberger  (sign) ADAM L. OLLENBERGER  (sign) ADAM L. OLLENBERGER  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category		- 194-54MB	
following authority, TUV (ISO 9001: 2008) as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are Valves"C"  In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at Amonfor in the Province of Alberta (Year)  (print) Adam L. Ollenberger  (sign) ADAM L. OLLENBERGER  Student-al-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category			
stated standard. The fittings covered by this declaration, for which I seek registration, are Valves"C"  In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at Famonton in the Province of Alberta  this 17th day of September 2015  (print) Adam L. Oilenberger  (sign) ADAM L. OLLENBERGER  Student-al-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category	I furtl	her declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the	
In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at Edwardon in the Province of Alberta.  this 17th day of September 2015  (print) Adam L. Ollenberger  (sign) ADAM L. OLLENBERGER  Student-al-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category	follov	wing authority, TUV (ISO 9001: 2008) as being suitable for the manufacture of these fittings to the	
In support of this application, the following information, calculations and/or test data are attached:  Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at Edmonton in the Province of Alberta this 17th day of September 2015 (Month) (Year)  (print) Adam L. Oilenberger (Month) Student-at-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category	stated	3	
Catalogue JAG 0715 VER1. B3-900, T2-900, T3-Flange Valve Class 150, 300, 600, 900, 1500 and 2500, T3 NPT 1500 and 2500, T3 SW 1500 and 2500, T3 SW x NPT 1500 and 2500.  DECLARED before me at Edmonton in the Province of Alberta (Year)  (print) Adam L. Ollenberger  (sign) ADAM L. OLLENBERGER  (A Commissioner for Oaths) Student-al-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category			
DECLARED before me at Edmonton in the Province of Alberta.  this 17th day of September 2015  (print) Adam L. Ollenberger  (sign) ADAM L. OLLENBERGER  (A Commissioner for Oaths) Student-al-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category			
this 17th day of Septender 2015  (print) Adam L. Oilenberger  (sign) ADAM L. OLLENBERGER  (A Commissioner for Oaths) Student-at-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category			
this 17th day of Septender 2015  (print) Adam L. Oilenberger  (sign) ADAM L. OLLENBERGER  (A Commissioner for Oaths) Student-at-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category			
(sign) Adam L. Ollenberger  (sign) ADAM L. OLLENBERGER  (A Commissioner for Oaths) Student-at-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category	DECI	LARED before me at Edmonton in the Province of Alberta	
(sign)  (A Commissioner for Oaths)  ADAM L. OLLENBERGER  Student-al-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category	this _	17th day of September 2015	
(sign)  (A Commissioner for Oaths)  ADAM L. OLLENBERGER  Student-al-Law  For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category	(print	Adams ( Ollan Lacca (Year)	
For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category		Compositor of Applicant)	
For Office Use Only  To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category	(sign)	(A Commission for Oaths)	
B51, Clause 4.2, and is accepted for registration in Category	For C		
0000000	To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category		
Registration Number C 0 6 9 6 8 . 2 SHA VI SU MOV 1 1 2025	Regis		
Date Registered:		Registered: Expiry Date: MS - 2015	

The



## Celebrating 20 years 1995 – 2015

9410 - 20 Ave N.W. Edmonton, Alberta, Canada T6N 0A4 Tel: (780) 437-9100 / Fax: (780) 437-7787

November 11, 2015

Attention: Mike Dean
JAG FLOCOMPONENTS LP
4123 53 AVENUE
EDMONTON, AB T6B 3R5

The design submission, tracking number 2015-07588, originally received on October 22, 2015 was surveyed and accepted for registration as follows:

CRN:

0C06968.2

Accepted on: November 11, 2015

Reg Type:

Addition to Acc. Fitting

Expiry Date: November 11, 2025

Drawing No.: CATALOGUE JAG 0715 VER1 As Noted

Fitting type: VALVES

Design registered in the name of : DALIAN JAG FLOCOMPONENTS CO LTD

## The registration is conditional on your compliance with the following notes:

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

This registration covers only those valves that are in strict compliance with ASME B16.34-2013, with respect to dimensions, pressure and temperature ratings, materials, markings etc.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 or fax (780) 437-7787 or e-mail su@absa.ca.

Sincerely.

SU, YI