

June 12, 2025

**Attention:** Dennis Jones  
MISTER CRN CONSULTING INC  
31 AMBER AVENUE  
MILTON STATION, PE C1E 0K8

The design submission, Tracking Number 2025-03491, Web Portal Number 2025-S2838, originally received on May 23, 2025 was surveyed and accepted for registration as follows:

**CRN :** 0A04288.52 **Accepted on:** June 12, 2025

**Reg Type:** RENEWAL **Expiry Date:** May 15, 2035

**Drawing No. :** Scope of Registration 101MGGJCRN-0 Rev 0

**Fitting type:** Pipe Fittings

Design registered in the name of : JINAN MEIDE CASTING CO

**The registration is conditional on your compliance with the following notes:**

*As indicated on AB-41 Statutory Declaration or AB-351 Declaration of Conformity form and submitted documentation, the codes of construction are ASME B16.3, B16.14, and B16.39.*

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration or AB-351 Declaration of Conformity as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.*
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration or AB-351 Declaration of Conformity form.*
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency, and maintains a valid Certification of Authorization Permit if required by the jurisdiction where manufacturing takes place, until that date.*
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (587) 686-9349 or fax (780) 437-7787 or e-mail Wangi@absa.ca.


Sincerely,



WANG, IAN, P. Eng.  
DOP Cert. No. D00009643

**STATUTORY DECLARATION**  
**Registration of Fittings**  
Single or Multiple Fitting Designs within one Fitting Category

I, Li Chuanjun, General Manager  
(name of applicant) (position title) (must be in a position of authority)  
of Jinan Meide Casting Co Ltd.  
(name of manufacturer)  
located at No.1 Meide Street, Meigui Town, Pingyin County, Jinan City, China  
(plant address)



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

- comply with the requirements of ASTM A197, ASME B16.3, B16.14, B16.39, ASME B1.20.1 which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the (title of code of construction or other applicable document) attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

**Quality Program Verification and Manufacturing Sites**

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	Category A: Class 150&300 Malleable Iron Pipe Fittings	ISO 9001	DESIGN AND PRODUCTION OF PLUMBING CONNECTERS, VALVES AND RELEVANT ACCESSORIES, DUCTILE IRON GROOVED FITTINGS AND COUPLINGS, STAINLESS STEEL METAL FLEXIBLE HOSE MALLEABLE IRON & DUCTILE IRON INSULATOR CAPS&POWER LINES CASTINGS, VALVES FOR SPRINKLERS SYSTEM	29-05-2027	BVQI	Jinan Meide Casting Co Ltd. No.1 Meide Street, Meigui Town, Pingyin County, Jinan City, China

In support of this application, the following information, calculations and/or test data are attached:

Fittings Catalogue, ISO 9001 Certificate

Signature of the Declarer: [Handwritten Signature] JUN. Date: 2025.1.20

DECLARED before me at \_\_\_\_\_ in the \_\_\_\_\_ of \_\_\_\_\_

this \_\_\_\_\_ day of \_\_\_\_\_, \_\_\_\_\_

(print) \_\_\_\_\_ (a Commissioner of Oaths or Notary Public)

(sign) \_\_\_\_\_ (a Commissioner of Oaths or Notary Public)

\_\_\_\_\_ (expiry date (mm/dd/yy))

Commissioner of Oaths / Notary Public in and for: \_\_\_\_\_ (province, territory, or state)

For ABSA Office Use Only:

NOTES: \_\_\_\_\_

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category \_\_\_\_\_
CRN: \_\_\_\_\_
Registered Date: \_\_\_\_\_
Expiry Date: May 15, 2035
Signature: \_\_\_\_\_ (Signature of the Administrator/SCO)
The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

2025-03491 ABSA SAFETY CODES ACT - PROVINCE OF ALBERTA ACCEPTED: 0A04288.52 See acceptance letter for conditions of registration. Date: 2025-06-12 By: [Signature] IAN WANG, P. Eng DOP: D00009643 This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

Tracking #: 2025-03491

**Table 1\*\* Scope of Fitting Designs**

Item #	Primary Pressure Bearing / Retaining Component	Material of Construction	Port Connections and Size Range	MDMT	Rated Pressure		Pressure Class(es) / Schedule(s)	Design Code(s) of Construction	Reference Catalogue (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature			

**Table 2 Additional Scope Information**

List/Attach Additional Detail and References (Product Configurations, Options, Illustrations, etc.)
Example: Series X Options

\*\* For additional alternatives of Table 1, refer to Form AB-41a, Guide for Completing Form AB-41




# Scope of Registration

Document Number:101MGGJCRN-0

Rev.:0

No.	Scope-Malleable Iron Pipe Fitting
1	ASME B16.3 TABLES 7.1-1 to 8.1-1
2	ASME B16.14 TABLES 7-1 to 7-5
3	ASME B16.39 TABLES 14-1 & 14-3



**This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.**



345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

May 15, 2025

MISTER CRN CONSULTING INC.  
PO BOX 488  
MONTAGUE PE C0A 1R0

**Workorder Type:** Registration - Fitting(Conventional)  
**Workorder No:** 14588374  
**Your Reference No.:** 6113  
**Registered to:** JINAN MEIDE CASTING COMPANY

Dear Dennis Jones,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN : 0A4288.5R3  
Main Design No.: CRN scope page  
Expiry Date: May 15, 2035

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately (There will be no hard copies for electronic submissions). Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

A handwritten signature in black ink that reads "Charley Dong".

Charley Dong  
Engineer, BPV  
Tel. : +1 416-734-3436  
Email : [cdong@tssa.org](mailto:cdong@tssa.org)



Technical Standards and Safety Authority  
345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



## STATUTORY DECLARATION Registration of Fittings

I, Li Chuanjun, General Manager  
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Jinan Meide Casting Co Ltd.  
(Name of Manufacturer)

Located at No.1 Meide Street, Meigui Town, Pingyin County, Jinan City, China +86 (0)531 87856308 +86(0) 531 87879387  
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of  
ASTM A197, ASME B16.3, B16.14, B16.39, ASME B1.20.1

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001 which has been verified by the following authority, BVQI

The items covered by this declaration, for which I seek registration, are category A: Class 150&300 Malleable Iron type fittings. In support of this application, the following information and/or test data are attached as follows: Pipe Fittings

Fittings Catalogue, ISO 9001 Certificate  
(drawings, calculations, test reports, etc.)

Declared before me at \_\_\_\_\_ in the \_\_\_\_\_ of \_\_\_\_\_  
the \_\_\_\_\_ day of \_\_\_\_\_ AD 20\_\_\_\_\_.

Commissioner for Oaths:

\_\_\_\_\_  
(Printed name)

\_\_\_\_\_  
(Signature)



*Li Chuanjun* 2025.1.20  
(Signature of Declarer)

### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category A.

CRN: 0A4288.5R3

Registered by: Charley Dong

Dated: May 15, 2025

NOTE: This registration expires on: May 15 2035

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety Program

REGISTERED

C.R.N.: 0A4288.5R3

Signed: *Charley Dong*

Date: May 15, 2025.

*\*Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.*

# 公 证 书

(2025)鲁济南齐鲁证外字第 1593 号

申请人：玫德集团有限公司，统一社会信用代码：  
91370124613225093N，住所：山东省济南市平阴县玫瑰镇玫德  
街 1 号。

法定代表人：李传军，男，1967 年 5 月 12 日出生，公民身  
份号码：370124196705125012。

公证事项：签名、印鉴

兹证明前面英文《法律声明（产品认证）》上“玫德集团有  
限公司”的印鉴及其法定代表人李传军的签名均属实。

中华人民共和国山东省济南市齐鲁公证处

公 证 员

文兰兰



LI38692788

# NOTARIAL CERTIFICATE

(2025) Lu Jinan Qilu Zheng Wai Zi No.1593

Applicant: Jinan Meide Casting Co Ltd., Unified Social Credit Code: 91370124613225093N, Address: No.1, Meide Street, Meigui Town, Pingyin County, Jinan City, Shandong Province.

Legal Representative: Li Chuanjun, male, born on May 12, 1967, Citizen Identity No.: 370124196705125012.

Issue under notarization: signature and seal

This is to certify that the seal of Jinan Meide Casting Co Ltd. and the signature of the legal representative, Li Chuanjun, affixed on the foregoing English Statutory Declaration (Registration of Fittings) are authentic.

Jinan Qilu Notary Public Office

Shandong Province

The People's Republic of China

Notary Public: Wen Lanlan

January 21, 2025

LI38692789