

April 26, 2022

Attention: Simone Brevi
OMB VALVES SPA
VIA EUROPA 7
CENATE SOTTO, 24069

The design submission, tracking number 2022-02107, originally received on April 14, 2022 was surveyed and accepted for registration as follows:

CRN : 0C00878.2 **Accepted on:** April 26, 2022

Reg Type: RENEWAL **Expiry Date:** April 26, 2032

Drawing No. : VALVES RENEWAL - See Scope Attached to AB-41 As Noted

Fitting type: VALVES

The registration is conditional on your compliance with the following notes:

VALVES - CATALOGUES C-18,C-OV1,C-EV2,C-CR03,C-YV1,C-BS2,C-BV6,C-FL6,C-MV1,C-YV

- This registration is based on the understanding that the valves are in full compliance with ASME B16.34 including size, thickness and material.

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction is B16.34.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.

- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.


- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.

- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, P. Tech. (Eng.)
DOP Cert. No. D00003136

**STATUTORY DECLARATION
Registration of Fittings**
Single or Multiple Fitting Designs within one Fitting Category

I, Simone Brevi, Managing Director
(name of applicant) (position title) (must be in a position of authority)
of OMB Valves S.p.a.
(name of manufacturer)
located at Via Europa, 7 24069 Cenate Sotto (BG) - Italy
(plant address)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

- ☒ comply with the requirements of ASMEB16.34/API602/ API6D/API6A which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- ☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the (title of code of construction or other applicable document) attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	SEE ATTACHED SCOPE OF REGISTRATION	ISO9001:2015	Design and manufacture of forged or casted industrial valve type Gate, Globe, Check, ball, butterfly and control valve (IAF-18)	9/29/2024	TUV	Via Europa, 7 24069 Cenate Sotto (BG) - Italy

In support of this application, the following information, calculations and/or test data are attached:

SEE ATTACHED SCOPE OF REGISTRATION

[Signature]
(Signature of the Declarer)

04/11/2022

(Date)


DECLARED before me at Stafford in the State of Texas
(city) (province, territory, or state)

this 11th day of April, 2022
(Month) (Year)

(print) Sandra J. Brumbaugh
(a Commissioner of Oaths or Notary Public)

(sign) [Signature]
(a Commissioner of Oaths or Notary Public)

Sept 18 2022
(expiry date (mm/dd/yy))



Commissioner of Oaths / Notary Public in and for: Texas
(province, territory, or state)

For ABSA Office Use Only:

NOTES:

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category C.

CRN: 0C00878.2

Registered Date: 2022-04-26

Expiry Date: 2032-04-26

Signature: _____
(Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

2022-02107

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0C00878.2

See acceptance letter for conditions of registration.

Date: 2022-04-26 By: Zana Radisavljevic

ZANA RADISAVLJEVIC, P. Tech. (Eng.)
DOP: D00003136

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

Table 1 Scope of Fitting Designs**

Item #	Primary Pressure Bearing / Retaining Component	Material of Construction	Port Connections and Size Range	MDMT	Rated Pressure		Pressure Class(es) / Schedule(s)	Design Code(s) of Construction	Reference Catalogue (pages) or Drawing(s)
					At Ambient Temperature	At Maximum Temperature			
1	SEE ATTACHED SCOPE OF REGISTRATION	-	-	-	-	-	-	-	-

Table 2 Additional Scope Information

List/Attach Additional Detail and References (Product Configurations, Options, Illustrations, etc.)
Example: Series X Options

** For additional alternatives of Table 1, refer to Form AB-41a, Guide for Completing Form AB-41

Tracking #: 2022-02107

SCOPE OF REGISTRATION

ALL VALVES MEETING ASME B16.34

NOTE: THE BASE SPECIFICATION FOR ALL OMB VALVES IS ASME B16.34

HOWEVER ALL OF OUR CATALOGUES ARE JUST MARKETING TOOLS AIMED AT THE SPECIFIC MARKETS THAT OUR CUSTOMERS SERVE
HENCE, THE CATALOGUES INDICATE SPECIFICATIONS WHICH ARE IMPORTANT TO THOSE CUSTOMERS. FOR EXAMPLE API 602 , ISO 15761,B55352
FOR OIL AND GAS, API 6D FOR OIL, GAS, AND OFFSHORE , ETC, ETC.

	type	size range	ends	class	material	design temp min	max
CATALOGUE C-18	ALL VALVES EXCEPT VALVE MADE IN A MATERIAL SPECIFICATION NOT LISTED BY ASME B16.34						
	GATE	1/4" TO 2"	SW, NPT, FLANGED, BW	150,300,600,800,1500,2500	ALL FORGING MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
	GLOBE , CHECK	1/4" TO 2"	SW, NPT, FLANGED, BW	150,300,600,800,1500,2500	ALL FORGING MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
CATALOGUE C-OV1	GLOBE , CHECK	1/4" TO 2"	BW	4500	ALL FORGING MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
	ALL VALVES EXCEPT PAGES 16,24,30,36, & 42 AND ANY VALVE MADE IN A MATERIAL SPECIFICATION NOT LISTED BY ASME B16.34						
	BALL VALVES AND THROUGH CONDUIT GATE VALVES	FLANGED , BUTTWELD		150,300,600,900,1500,2500	ALL MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
CATALOGUE C-EV2	and SWING CHECK VALVES	2" TO 56"		excluding API 3000,5000,10000			
	ALL VALVES EXCEPT VALVE MADE IN A MATERIAL SPECIFICATION NOT LISTED BY ASME B16.34						
	GLOBE VALVES	1/4" TO 2"	SW,NPT,FLANGED,BW	150.300.600.800	A105N,A350LF2,A182 F316,A182F11,A182F22,A182F304	ACCORDING TO ASME B16.34	
CATALOGUE C-CR03	ALL VALVES EXCEPT ANY VALVE MADE IN A MATERIAL SPECIFICATION NOT LISTED BY ASME B16.34						
	GATE & GLOBE	1/4" TO 2"	SW,NPT,FLANGED,BW	150,300,600,800,1500,2500	A350LF2,A350LF3,A182F304,A182F316,A182F51,A182F347,A182F321,A182F44	ACCORDING TO ASME B16.34	
CATALOGUE C-YV1	ALL VALVES EXCEPT ANY VALVE MADE IN A MATERIAL SPECIFICATION NOT LISTED BY ASME B16.34						
	Y-PATTERN GLOBE & CHECK	1/2" TO 4"	SW,NPT, BW	1500,1700,2500	ALL FORGING MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
	Y-PATTERN GLOBE & CHECK	1/2" TO 4"	SW, BW	2700	ALL FORGING MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
CATALOGUE C-BS2	Y-PATTERN GLOBE & CHECK	1/2" TO 2"	BW	4500	ALL FORGING MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
	ALL VALVES EXCEPT ANY VALVE MADE IN A MATERIAL SPECIFICATION NOT LISTED BY ASME B16.34						
	GLOBE & GATE	1/4" TO 24"	SW, NPT, FLANGED, BW	150,300,600,800,1500,2500	ALL MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
CATALOGUE C-BV6	Y-PATTERN GLOBE	1/2" TO 2"	SW, BW	2700	ALL MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
	ALL VALVES EXCEPT ANY VALVE MADE IN A MATERIAL SPECIFICATION NOT LISTED BY ASME B16.34						
	BALL	1/2" TO 56"	FLANGED & BW	150,300,600,900,1500,2500	ALL MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
CATALOGUE C-FL6	ALL VALVES EXCEPT ANY VALVE MADE IN A MATERIAL SPECIFICATION NOT LISTED BY ASME B16.34						
	BALL	1/4" TO 2"	SW,NPT,FLANGED,BW	150,300,600,800,1500,2500	ALL MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
CATALOGUE C-MV1	ALL VALVES EXCEPT ANY VALVE MADE IN A MATERIAL SPECIFICATION NOT LISTED BY ASME B16.34						
	MODULAR VALVES,BALL,GLOBE AND GATE VALVES	SW,NPT,FLANGED,BW		150,300,600,1500,2500	ALL MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
		1/2" TO 24"					
CATALOGUE C-YV	ALL VALVES EXCEPT ANY VALVE MADE IN A MATERIAL SPECIFICATION NOT LISTED BY ASME B16.34						
	GLOBE & GATE	1" TO 2"	SW	900,1500,2500	ALL MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	
	GLOBE & GATE	2" TO 12"	BW	900,1500,2500	ALL MATERIALS LISTED IN ASME B16.34	ACCORDING TO ASME B16.34	

2022-02107

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0C00878.2**See acceptance letter for
conditions of registration.****Date: 2022-04-26****By:** *Zana Radisavljevic***ZANA RADISAVLJEVIC, P. Tech. (Eng.)**
DOP: D00003136

This stamp and signature have been affixed electronically
to this registered design as required by Section 20(1) of
the Pressure Equipment Safety Regulation, in accordance
with the Electronic Transactions Act.