

9410 - 20 Ave N.W. Edmonton, Alberta, Canada T6N 0A4

Tel: (780) 437-9100 / Fax: (780) 437-7787

March 19, 2014

Attention: Charles Liu KEDKEP CONSULTING INC 295 DEARBORN BLVD WATERLOO, ON

The design submission, tracking number 2014-01542, originally received on February 19, 2014 was surveyed and accepted for registration as follows:

CRN:

0A16610.52

Accepted on: March 19, 2014

Reg Type:

**New Design** 

Expiry Date: January 24, 2024

**Drawing No.: PRODUCT CATALOG** 

Fitting type: B16.9 & B16.11 PIPE FITTINGS

Design registered in the name of : JIANGYIN ZHONGNAN HEAVY INDUSTRIES LTD

The registration is conditional on your compliance with the following notes:

Scope of registration attached to Statutory Declaration form.

- This registration has been issued:
- 1. Based on TSSA's review.
- 2. Based on the Association of Chief Inspectors Policy on Reciprocal Recognition of Design Review for Vessel Design Registration of August 1997.

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,

RADISAVLJEVIC, ZANA, R.E.T.

Zana Padisar/jevil

### **Scope of Registration B16.9 Fittings**

90 degree SR Elbow: 1"~24", SCH5S ~ SCHXXS

90/45 degree LR Elbow: 1/2"~24", SCH5S ~ SCHXXS. 26" ~ 48", SCH5S ~ SCHXS

Tees/crosses: 1/2"~24", SCH5S ~ SCHXXS. 26" ~ 48", SCH5S ~ SCHXS Reducers: 1/2"~24", SCH5S ~ SCHXXS. 26" ~ 48", SCH5S ~ SCHXS Caps: 1/2"~24", SCH5S ~ SCHXXS. 26" ~ 48", SCH5S ~ SCHXS

Stub ends: 1/2"~24", SCH5S ~ SCHXXS

# 0 A 1 6 6 1 0 . 5 2

#### Material:

Standards	Grades	
ASTM A234/ ASME SA234	WPB、WPC、WP11 CL1、WP11 CL2、WP11 CL3、WP12 CL1、WP12 CL2、WP22 CL1、WP22 CL3、WP5 CL1、WP5 CL3、WP9 CL1、WP9 CL3、WP91	
ASTM A420/ ASME SA420	WPL6, WPL9, WPL3, WPLX	
ASTM A403/ ASME SA403	WP304、WP304L、WP304H、WP316、WP316L、WP316H、WP321、WP321H、WP310S、WP317、WP317L、WP347、WP347H、WP904L	
ASTM A815/ ASME SA815	WPS31803、WPS32750、WPS32760、WPS32205	

Scope of Registration B16.11 Fittings TRATIO

SAFETY CODES ACT - PROVINGE OF ALBERTA

Socket welding fittings listed in Table 1 (I-1): 1/8" ~ 4", 3000# to 9000# That is a solution of the so

Threaded fittings listed in Table 3 (I-4):  $1/8^{\circ\circ} \sim 2^{\circ\circ}$ , 3000# & 6000# Type of fittings  $3/6 \cdot 7 \approx 3/6 \cdot 1/8$ 

Plugs and bushings listed in Table 5 (I-5): 1/8" ~ 4"

Material:

MAR 1 9 2014 Laur

Materiai:	INITIALS INITIALS	INITIALS INITIALS	
Standards	Grades	ZAMA RADISAVLJE DESIGN SURVEY	
ASTM A105 / ASME SA105	A105		
ASTM A350 / ASME SA350	LF1、LF2、LF3、LF5、LF6、LF9		
ASTM A182 / ASME SA182	F304、F304L、F304H、F310、F316、F316L、F316H、F317、F317L、F347、F347H、F321、F321H、F316Ti、F11 CL1、F11 CL2、F11 CL3、F12 CL1、F12 CL2、F22 CL1、F22 CL3、F5、F9、F91、F51、F52、F53、F55、F60、F65、F904L		
ASTM B564 / ASME SB564	UNS N04400、UNS N06600、UNS N06625、UNS N08800、UNS N08825、UNS N08810、UNS N10276		





## STATUTORY DECLARATION Registration of Fittings

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.

ZNH

	Chairman of the board
com	npany title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)
f	Jiangyin Zhongnan Heavy Industries Co.,Ltd.
	(name of manufacturer)
nce	ated at No.788 Jinshan Road, High&New Technique Industries Development Zone, Jiangyin City, Jiangsu Province, PRC
	(plant address)
lo s	solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act eck one)
	comply with the requirements of ASME B16.9-2012,B16.11-2011 which specifies the dimensions,
	(title of recognized North American Standard)
	materials of construction, pressure/temperature ratings and identification marking of the fittings, or
	are not covered by the provisions of a recognized North American standard and are therefore manufactured to
ž.	comply with as supported by the attached data which identifies the dimensions,
	materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings
	for identification.
	urther declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the
	0.1 (A)
	lowing authority, China United Certification Center as being suitable for the manufacture of these fittings to the
stat	ted standard. The fittings covered by this declaration, for which I seek registration, are category A type fittings
In s	support of this application, the following information, calculations and/or test data are attached:
In s	
In s	support of this application, the following information, calculations and/or test data are attached:
In s	support of this application, the following information, calculations and/or test data are attached:
In s	support of this application, the following information, calculations and/or test data are attached:  09001,catalog B16.9 1/2"to 48"&proof test report/ B16.11 1/8" to 4" 2000# to 9000#  BCLARED before me at Jiangyin City in the Jiangsu Province of China
In s	support of this application, the following information, calculations and/or test data are attached:  D9001,catalog B16.9 1/2"to 48"&proof test report/ B16.11 1/8" to 4" 2000# to 9000#  ECLARED before me at Jiangyin City in the Jiangsu Province of Chinal (Science of Chinal (Month) (Month) (Year)
In s ISC DE	support of this application, the following information, calculations and/or test data are attached:  09001,catalog B16.9 1/2"to 48"&proof test report/ B16.11 1/8" to 4" 2000# to 9000#  BCLARED before me at Jiangyin City in the Jiangsu Province of China
In s ISC DE	support of this application, the following information, calculations and/or test data are attached:  D9001,catalog B16.9 1/2"to 48"&proof test report/ B16.11 1/8" to 4" 2000# to 9000#  BCLARED before me at Jiangyin City in the Jiangsu Province of China  Is 13th day of January (Month) (Year)  Chen shao zhong (Signature of Applicant)
In s ISC DE	support of this application, the following information, calculations and/or test data are attached:  D9001,catalog B16.9 1/2"to 48"&proof test report/ B16.11 1/8" to 4" 2000# to 9000#  BCLARED before me at Jiangyin City in the Jiangsu Province of Chinal (Year)  The company of this application, the following information, calculations and/or test data are attached:  D9001,catalog B16.9 1/2"to 48"&proof test report/ B16.11 1/8" to 4" 2000# to 9000#  BCLARED before me at Jiangyin City in the Jiangsu Province of Chinal (Year)
In s ISC  DE thi (pr (si	support of this application, the following information, calculations and/or test data are attached:  O9001,catalog B16.9 1/2"to 48"&proof test report/ B16.11 1/8" to 4" 2000# to 9000#  BCLARED before me at Jiangyin City in the Jiangsu Province of China  Is 13th day of January (Month) (Year)  Chen shao zhong  (A Commissioner for Oaths)  Or Office Use Only
In s ISC  DE thi (pi (si	support of this application, the following information, calculations and/or test data are attached:  09001,catalog B16.9 1/2"to 48"&proof test report/ B16.11 1/8" to 4" 2000# to 9000#  CCLARED before me at Jiangyin City in the Jiangsu Province of China (Signature of Applicant)  Is 13th day of January (Month) (Year)  Then shao zhong (Signature of Applicant)  Or Office Use Only  On the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard
In s ISC  DE thi (pr (si	support of this application, the following information, calculations and/or test data are attached:  09001, catalog B16.9 1/2" to 48" & proof test report/B16.11 1/8" to 4" 2000# to 9000#  CARED before me at Jiangyin City in the Jiangsu Province of China China Characteristics and the state of Applicant (Month) (Signature of Applicant)  The complete of the Safety Codes Act and CSA Standard of the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard of Characteristics and is accepted for registration in Category
DE thi (process) Too B5	support of this application, the following information, calculations and/or test data are attached:  D9001,catalog B16.9 1/2"to 48"&proof test report/ B16.11 1/8" to 4" 2000# to 9000#  BCLARED before me at Jiangyin City in the Jiangsu Province of Chinal (Signature of Applicant)  The second of this application meets the requirements of the Safety Codes Act and CSA Standard of the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard of the Safety Codes Act and CSA St
DE thi (process) For B5	support of this application, the following information, calculations and/or test data are attached:  09001,catalog B16.9 1/2"to 48"&proof test report/ B16.11 1/8" to 4" 2000# to 9000#  3CLARED before me at Jiangyin City in the Jiangsu Province of Chinal (Year)  is 13th day of January (Month) (Year)  (A Commissioner for Oaths)  or Office Use Only  othe best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard 51, Clause 4.2, and is accepted for registration in Category

0 A 1 6 6 1 0 . 5 2

0 A 1 6 6 1 0 . 5 2



9410 - 20 Ave N.W. Edmonton, Alberta, Canada T6N 0A4 Tel: (780) 437-9100 / Fax: (780) 437-7787

March 19, 2014

Attention: Charles Liu KEDKEP CONSULTING INC 295 DEARBORN BLVD WATERLOO, ON

The design submission, tracking number 2014-01541, originally received on February 19, 2014 was surveyed and accepted for registration as follows:

CRN:

0B16600.52

Accepted on: March 19, 2014

Reg Type:

New Design

Expiry Date: January 24, 2024

**Drawing No.: PRODUCT CATALOG** 

Fitting type: B16.5 & B16.47 FLANGES

Design registered in the name of : JIANGYIN ZHONGNAN HEAVY INDUSTRIES LTD

The registration is conditional on your compliance with the following notes:

Scope of registration attached to Statutory Declaration form.

- This registration has been issued:
- 1. Based on TSSA's review.
- 2. Based on the Association of Chief Inspectors Policy on Reciprocal Recognition of Design Review for Vessel Design Registration of August 1997.

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,

RADISAVLJEVIC, ZANA, R.E.T.

Zana Padisay/jevil

### **Scope of Registration B16.5 Flanges**

2"~24", 150# ~ 2500#, threaded, slip-on, socket welding, lapped, blind, welding neck

### Material:

Standards	Grades	
ASTM A105 / ASME SA105	A105	
ASTM A350 / ASME SA350	LF1 CL1、LF2、LF3、LF6 CL1、LF6 CL2	
ASTM A182 / ASME SA182	F304、F304L、F304H、F310、F316、F316L、 F316H、F317、F317L、F347、F347H、F321、 F321H、F11 CL2、F12 CL2、F22 CL3、F5、F9、 F91、F51、F53、F55	
ASTM B564 / ASME SB564	UNS N04400、UNS N06600、UNS N06625、UNS N08800、UNS N08825、UNS N08810	

Scope of Registration B16.47 F

Series A: 26"~60", 150# ~ 900# Series B: 26"~60", 75# ~ 900#

#### Material:

Standards	Grades
ASTM A105 / ASME SA105	A105
ASTM A350 / ASME SA350	LF1 CL1、LF2、LF3、LF6 CL1、LF6 CL2
ASTM A182 / ASME SA182	F304、F304L、F304H、F310、F316、F316L、 F316H、F317、F317L、F347、F347H、F321、 F321H、F11 CL2、F12 CL2、F22 CL3、F5、F9、 F91、F51、F53、F55





### STATUTORY DECLARATION Registration of Fittings

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.

ZNHI

I, Mr.Chen shao zhong	ZNHI ,
Chairman of the board	
(company title, e.g. vice president, plant manager, chief engineer	) (must be in a position of authority)
of Jiangyin Zhongnan Heavy Industries Co.,Ltd.	
	ne of manufacturer)
located at No.788 Jinshan Road, High&New Technique	Industries Development Zone, Jiangyin City, Jiangsu Province, PRC
	plant address)
do solemnly declare that the fittings listed hereunder, which (check one)	h are subject to the Safety Codes Act
	7-2011,B16.5-2009 which specifies the dimensions,
materials of construction, pressure/temperature ra	tings and identification marking of the fittings, or
are not covered by the provisions of a recognized	North American standard and are therefore manufactured to
comply withas	supported by the attached data which identifies the dimensions,
materials of construction, pressure/temperature rat	ings and the basis for such ratings, and the marking of the fittings
for identification.	* *
I further declare that the manufacture of these fittings is co	ontrolled by a quality control program which has been verified by the
following authority, China United Certification Cen	as being suitable for the manufacture of these fittings to the
stated standard. The fittings covered by this declaration, f	
In support of this application, the following information, of	
	16.47 SERIES A 150# to 900# 26" to 60",SERIES B 75# to 900#
The state of the s	10.47 SERIES A 130# to 900# 20 to 00 ,SERIES D 15# to 200#
DECLARED before me at Jiangyin city in the this 13th day of January (Month)	Jiangsu Province of China  2014 (Year)
(print) Chen shao zhong	(Signature of Applicant)
(sign)(A Commissioner for Oaths)	(o.g.mar or approximation)
For Office Use Only	
To the best of my knowledge and belief, the application m B51, Clause 4.2, and is accepted for registration in Categor	eets the requirements of the Safety Codes Act and CSA Standard
Registration Number: 0 B 1 6 6 0 0	52 Fair P. ZANA HADISAVIJEV
Date Registered: 17AK 1 9 2014	(For the Administrator/Chief Inspector of Alberta) Expiry Date: Jan 24, 2024
information you provide is necessary only for the administration of the progra	ms as required by the Alberta Safety Codes Act and Regulations in the Boiler Discipline.